

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S64	95	((JOSE) near2 (RAMIREZ)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/26 11:06
S65	0	(desired adj1 (protocol standard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S66	0	(desired adj2 (protocol standard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S67	0	(desired adj (protocol standard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S68	0	(desired near (protocol standard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S69	7397	sdr	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S70	1	S64 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S71	62	((NIKHIL) near2 (DESHPANDE)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/26 11:06
S72	1	S71 and S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S73	498	(sdr (physical adj2 layer)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S74	102	(sdr (physical adj2 layer)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive) and (beacon (quality near3 signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06

S75	54	S74 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S76	26	((sdr (physical adj2 layer)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S77	13	S76 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S78	141	((sdr antenna (physical adj2 layer)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S79	13	S77 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S80	95	S78 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S81	82	S80 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S82	157560	("370").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/05/26 11:06
S83	161723	("455").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/05/26 11:06
S84	88945	("709").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2010/05/26 11:06
S85	379589	S82 S83 S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S86	31	S81 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06

S87	100	(sdr (mimo)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S88	51	S87 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S89	18	S88 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S90	383	(multi\$mode (dual adj1 mode)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S91	27	((multi\$mode (dual adj1 mode)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S92	155	S90 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S93	103	S92 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S94	19	S91 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S95	265	((multi\$mode (multiple adj1 mode)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$) same (idle unavailable busy inactive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S96	10	((multi\$mode (multiple adj1 mode)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$) same (idle unavailable busy inactive)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S97	1071	((multi\$mode (multiple adj1 mode))) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/26 11:06

S98	3	((multi\$mode (multiple adj1 mode))) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$) and sdr).ab.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/26 11:06
S99	2	beacon with (transmi\$5 and receiv\$3) same (availab\$4 near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S100	1	S99 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S101	12	beacon with (transmi\$5 and receiv\$3) same ((choos\$3 select\$3) near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S102	1	S101 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S103	75	beacon same ((choos\$3 select\$3) near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S104	0	beacon same ((choos\$3 select\$3) near4 (desired adj3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S105	0	((choos\$3 select\$3) near4 (desired adj3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S106	0	((choos\$3 select\$3) with (desired adj3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S107	0	((choos\$3 select\$3) with (desired adj5 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S108	0	beacon same (desired adj3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S109	0	beacon same (desired adj5 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S110	0	(multi\$mode (dual adj1 mode)) same (desired adj3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06

S111	0	(multi\$mode (dual adj1 mode)) same ((choos\$3 select \$3) with (desired adj3 protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S112	10920	(multi\$mode (dual adj1 mode)) same (choos\$3 select \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S113	7	(multi\$mode (dual adj1 mode)) with beacon same (choos\$3 select\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S114	3	S113 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S115	214	beacon adj1 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S116	0	beacon adj1 function same multi\$mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S117	95	beacon same multi\$mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S118	8	beacon with multi\$mode same protocol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S119	1	S118 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S120	52	(multi\$mode (dual adj1 mode)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (beacon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S121	23	S120 and (@ad<"20040329" @rlad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S122	0	(desired adj5 (protocol standard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:06
S123	95	((JOSE) near2 (RAMI REZ)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/26 11:06
S124	62	((NI KHIL) near2 (DESHPANDE)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/26 11:06

S125	156	S123 S124	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/26 11:06
S126	1	S125 and (beacon same protocol)	US-PGPUB; USPAT; USOCR	OR	ON	2010/05/26 11:06
S127	1	beacon same (desir\$3 near4 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 11:59
S128	2	(beacon with (transmi\$5 and receiv\$3) same ((choos\$3 select\$3) near4 protocol)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 14:36
S129	0	S64 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 14:36
S130	0	S71 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 14:37
S131	129	((sdr antenna (physical adj2 layer)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 14:38
S132	0	S64 and S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 14:39
S133	0	S71 and S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2010/05/26 14:40

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S134	2	(beacon with (transmi\$5 and receiv\$3) same ((choos\$3 select\$3) near4 protocol)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/05/26 14:40
S136	0	(beacon same (sdr antenna (physical adj2 layer)) same (\$2assign\$ \$2program\$ \$2convert\$ \$2configur\$ \$2allocat\$ \$2designat\$) same (idle unavailable busy inactive)). clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/05/26 14:41

5/ 26/ 2010 6:11:25 PM

C:\ Documents and Settings\ hfoud\ My Documents\ EAST\ Workspaces\ 10812648_1.wsp